
*** TX REPORT ***

RECEIVED
CENTRAL FAX CENTER

FEB 08 2005

TRANSMISSION OK

TX/RX NO 2904
CONNECTION TEL #09195712734032
CONNECTION ID
ST. TIME 01/27 09:51
USAGE T 02'34
PGS. SENT 10
RESULT OK

SQUIRE
SANDERS

LEGAL
COUNSEL
WORLDWIDE

SQUIRE, SANDERS & DEMPSEY L.L.P.

14th Floor
8000 Towers Crescent Drive
Tysons Corner, VA 22182-2700
Office: +1.703.720.7800
Fax: +1.703.720.7801

Preferred Fax: +1.703.720.7802
If Problems: +1.703.720.7827

January 27, 2005

PLEASE DELIVER THESE PAGES IMMEDIATELY

Number of Pages (including cover): 10

To: Examiner Corrielus

FAX NO.: +1.571.273.4032

COMPANY: USPTO

PHONE NO.: +1.571.272.4032

FROM: William F. Nixon

DIRECT DIAL NO.: +1.703.720.7894

E-MAIL: wnixon@ssd.com

RE: Application Serial No. 09/824,252

Message:

Proposed Amendments Only

DO NOT ENTER INTO THE RECORD

RECEIVED
CENTRAL FAX CENTER

002

FEB 08 2005

SQUIRE
SANDERSLEGAL
COUNSEL
WORLDWIDE

SQUIRE, SANDERS & DEMPSEY L.L.P.

14th Floor
8000 Towers Crescent Drive
Tysons Corner, VA 22182-2700
Office: +1.703.720.7800
Fax: +1.703.720.7801Preferred Fax: +1.703.720.7802
If Problems: +1.703.720.7827

January 27, 2005

PLEASE DELIVER THESE PAGES IMMEDIATELY

Number of Pages (including cover): 10

TO: Examiner Corrielus

FAX No.: +1.571.273.4032

COMPANY: USPTO

PHONE No.: +1.571.272.4032

FROM: William F. Nixon

DIRECT DIAL No.: +1.703.720.7894

E-MAIL: wnixon@ssd.com

RE: Application Serial No. 09/824,252

Message:

Proposed Amendments Only

DO NOT ENTER INTO THE RECORD

CONFIDENTIALITY NOTICE:

The attached information is LEGALLY PRIVILEGED AND CONFIDENTIAL and is intended only for the use of the addressee named above. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, please be aware that any dissemination, distribution or duplication of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the address above via the postal service. Thank you.

Sender No.: 08645

59119.00002

TYC/Cathy Tipton

Job No:

Account No.

Return to Office

Proposed Specification Amendment

U.S. Patent Application Serial No. 09/824,252

Please amend the paragraph starting on page 11, line 19, as follows:

An exemplary routine for setting up a system configuration file is now described with respect to the flow chart of **Figure 6**. As noted above, the system's attributes consist of ~~both static and dynamic~~ characteristics which are determined separately. In the general context, this system configuration file may also be referred to as a "node configuration file" as it represents the configuration for a system, which is presumed to be one node in a larger network sharing files from several remote servers.

Proposed Claim Amendments

U.S. Patent Application Serial No. 09/824,252

Please amend the claims as follows.

1. (Currently Amended) In a computer system having a memory for storage of files and a main filesystem for accessing said files, the improvement of adding a custom filesystem, said custom filesystem comprising:
a custom hierarchical structure of files and folders, providing access to ~~selected~~ software applications selected from available software applications based on a set of attributes for said computer system;
a set of links between said custom hierarchical structure of files and folders, and the locations of corresponding real files in said main filesystem; and
said custom filesystem being positioned to have priority over said main filesystem, in that a process manager ~~will attempts~~ to address requests on said custom filesystem prior to placing said requests on said main filesystem.
2. (Original) The computer system of claim 1, wherein said custom hierarchical structure is generated by determining which of said files in said main filesystem should be viewed.
3. (Currently Amended) A method of preparing a custom filesystem for a computer system having a main filesystem, comprising the steps of:
generating and storing a file of attributes for said computer system;
selecting required software applications from available software applications in accordance with said attributes;
linking said selected software applications to said custom filesystem; and
positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will attempts~~ to address requests on said custom filesystem prior to placing said requests on said main filesystem.

4. (Previously Presented) The method of claim 3, wherein said attributes for said computer system include static characteristics.

5. (Original) The method of claim 4, wherein said static characteristics include a microprocessor model and an operating system platform.

6. (Previously Presented) The method of claim 3, wherein said attributes for said computer system include dynamic characteristics.

7. (Currently Amended) The method of claim 6 4, wherein said dynamic characteristics include preferences regarding accessible software applications and versions of said software applications.

8. (Currently Amended) The method of claim 3 7, further comprising a step of responding, wherein said step of responding comprises the steps of:

for each available software application, determining whether said computer system

requires said software application, and if so:

querying said system regarding a desired version of said software application; and

adding said desired version of said software application to said custom filesystem.

9. (Currently Amended) The method as claimed in claim 4 7, wherein said static ~~dynamic~~ characteristics include:

the location of the package repositories;

the packages to include;

the root of the custom filesystem; and

the spill directory root.

10. (Previously Presented) The method as claimed in claim 7, wherein said attributes include:

- a Root directory to take over;
- a Directory to copy changed spilled files to;
- a Directory base root location for the packages; and
- a Package to read and customize.

11. (Original) The method as claimed in claim 10, wherein said linking is symbolic linking.

12. (Previously Presented) The method as claimed in claim 10, comprising the step of:
storing an image of the current custom filesystem which may be re-generated, allowing roll-back.

13. (Previously Presented) The method as claimed in claim 4, comprising the step of:
responding to a request to roll-back by replacing said custom filesystem with said image of said custom filesystem.

14. (Currently Amended) A method of filesystem management comprising the steps of:
determining which files a computer system ~~will see~~ views based on system attributes;
identifying filenames representing said files said computer system views ~~will see~~;

generating links between said filenames and real software locations of said files on a main filesystem, that said computer system views ~~will see~~; and said identified filenames and links comprising a custom filesystem; and positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will attempt~~s to address requests on said custom filesystem prior to placing said requests on said main filesystem.

15. (Currently Amended) A method of preparing a custom filesystem for a computer system, comprising the steps of:
generating and storing a file of attributes for said computer system in a system configuration file;
processing said system configuration file;
reading all directories in a main filesystem to generate a search path;
traversing said search path and for each available software application, determining whether said system requires said software application, and if so:
querying said system regarding a desired version of said software application;
adding said desired version of said software application to said custom filesystem;
and
positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will attempt~~s to address requests on said custom filesystem prior to placing said requests on said main filesystem.

16. (Currently Amended) A custom filesystem comprising:
means for generating and storing a file of attributes for said computer system;
means for selecting required software applications from available software applications in a main filesystem, in accordance with said attributes;
means for linking said selected software applications to said custom filesystem; and

means for positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will~~ attempts to address requests on said custom filesystem prior to placing said requests on said main filesystem.

17. (Currently Amended) A method of operation for a custom filesystem on a computer system having a main filesystem, said method comprising the steps of: loading a system configuration file containing attributes of said computer system; responding to receipt of a request to perform an operation by:

accessing said custom filesystem, said custom filesystem having been generated ahead of time by performing the steps of:

generating and storing a file of attributes for said computer system;

selecting required software applications from available software

applications in accordance with said attributes;

linking said selected software applications to said custom filesystem;

positioning said custom filesystem to take priority over said main

filesystem, in that a process manager ~~will~~ attempts to address

requests on said custom filesystem prior to placing said requests on said main filesystem;

re-directing said requested operation to a corresponding real file location; and

performing said requested operation with respect to said real file.

18. (Original) The method of claim 17, further comprising the step of loading packages onto custom pathname tree, subsequent to said step of loading a system configuration file.

19. (Original) The method of claim 18, wherein said system configuration file comprises static and dynamic system characteristics of said system.

20. (Previously Presented) The method of claim 19, further comprising the step of responding to a request from the system by:

responding to a targeted file on the package filesystem being invalid by sending an error message to said end system.

21. (Original) The method of claim 20, further comprising the step of responding to a request from the system by:

responding to the state of said targeted file not being known by updating the state of said targeted file.

22. (Original) The method as claimed in claim 17, further comprising the step of: responding to a command which requires modification of a file by copying said file to a spill directory tree.

23. (Original) The method of claim 21, further comprising the step of responding to a request from the system by:

responding to said file having been spilled by requiring request spilled location.

24. (Currently Amended) A method of operation for a custom filesystem on a computer system having a main filesystem, said method comprising the steps of: loading a system configuration file containing attributes of said computer system; loading packages onto a custom pathname tree; responding to a request from the system by:

accessing said custom filesystem, said custom filesystem having been generated ahead of time by performing the steps of:

generating and storing a file of attributes for said computer system;

selecting required software applications from available software

applications in accordance with said attributes;

linking said selected software applications to said custom filesystem;

positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will~~ attempts to address requests on said custom filesystem prior to placing said requests on said main filesystem;

responding to a targeted file on the package filesystem being invalid by sending an error message to said end system;

responding to the state of said targeted file not being known by updating the state of said targeted file;

responding to said file having been spilled by redirecting said request to a spilled location;

responding to said request being a read request by:

- re-directing said read request to a corresponding "real" file location;
- performing said read request;

responding to said request being a write request by:

- marking said target file in said main root directory;
- creating said spillroot direction;
- copying said target file to said spill root location; and

responding to said request being a stat request by accessing meta-data from package file location as required.

25. (Canceled).

26. (Currently Amended) A computer readable memory medium for storing software code executable to perform the method steps of:

- generating and storing a file of attributes for a computer system;
- selecting required software applications from available software applications on a main filesystem, in accordance with said attributes;
- linking said selected software applications to said custom filesystem; and

positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will~~ attempts to address requests on said custom filesystem prior to placing said requests on said main filesystem.

27. (Currently Amended) A method of file management comprising the steps of: displaying a custom filesystem in which filenames are linked to real software file locations in accordance with a computer system's attributes; said custom filesystem having been generated ahead of time by performing the steps of: generating and storing a file of attributes for said computer system; selecting required software applications from available software applications on a main filesystem, in accordance with said attributes; linking said selected software applications to said custom filesystem; positioning said custom filesystem to take priority over said main filesystem, in that a process manager ~~will~~ attempts to address requests on said custom filesystem prior to placing said requests on said main filesystem; and responding to an input of an instruction with respect to said customized filesystem by: re-directing said instruction to said real software file location.